

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
27 December 2001 (27.12.2001)

PCT

(10) International Publication Number  
WO 01/99416 A2

(51) International Patent Classification<sup>7</sup>: H04N 5/445

(21) International Application Number: PCT/US01/17131

(22) International Filing Date: 24 May 2001 (24.05.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/213,058 21 June 2000 (21.06.2000) US  
60/214,529 27 June 2000 (27.06.2000) US  
60/231,180 7 September 2000 (07.09.2000) US  
09/751,702 29 December 2000 (29.12.2000) US  
09/751,809 29 December 2000 (29.12.2000) US

(71) Applicant (for all designated States except US): **BELL-SOUTH INTELLECTUAL PROPERTY CORPORATION** [US/US]; 824 Market Street, Suite 510, Wilmington, DE 19801 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **DURDEN, George,**

A. [US/US]; 5355 Skidaway Drive, Alpharetta, GA 30022 (US). **STEFANIK, John, R.** [US/US]; 5085 Jett Forest Trail NW, Atlanta, GA 30327 (US). **SWIX, Scott, R.** [US/US]; 3775 River Hollow Run, Duluth, GA 30096 (US).


(74) Agents: **PRATT, John, S.** et al.; Kilpatrick Stockton LLP, 1100 Peachtree Street, Suite 2800, Atlanta, GA 30309-4530 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SYSTEM AND METHOD FOR FORMULATING, DELIVERING AND MANAGING DATA CONCERNING PROGRAMMING CONTENT AND PORTIONS THEREOF



(57) Abstract: This document discloses systems and methods for enabling viewers to control and manage the presentation of programs based on specified types of rating categories and content attributes that the viewer desires not to be presented. The invention provides program data corresponding to each program. The data contains (1) time-varying information related to the content of discrete portions of the television program and, optionally, (2) corresponding data controlling the presentation of that content. By way of example, the program data includes rating and content attribute values as well as control data indicating to which media component the value applies or instructions corresponding to the ways in which each portion of the program may be disabled, modified, replaced, and / or edited. A set top box or other configured consumer electronics device combines the program data with data input by the user concerning the programming the user desires to disable. Based on the program data and the viewer's presentation profile, the consumer electronic device controls whether and/or how each applicable portion or component of programming is presented to the viewer.

WO 01/99416 A2

BEST AVAILABLE COPY



**Published:**

— without international search report and to be republished  
upon receipt of that report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**System and Method for Formulating, Delivering and Managing  
Data Concerning Programming Content and Portions Thereof**

This application claims priority under U.S. law to provisional U.S. patent  
5 applications serial no. 60/213,058, filed 6/21/00; serial no. 60/214,529, filed 6/27/00;  
and serial no. 60/231,180, filed 09/07/00, serial no. 09/751,702, filed 12/29/00, serial  
no. 09/751.809, filed 12/29/00, each of which applications are owned by the  
assignee of this application and each of which applications are incorporated in its  
entirety by this reference.

10

Technical Field

This invention generally relates to the field of programming control systems,  
and more particularly to systems and methods for allowing users to control and  
manage programming content. In one implementation, an application residing on a  
15 set-top box or other consumer electronic device, such as a television set, uses data  
synchronized to a program to dynamically block or modify portions of the program's  
video or audio based on a user's parental control settings.

Background of Invention

20 With the increasing availability of television programming, cable services,  
Internet programming, and other interactive entertainment services, there is an ever  
greater need for the ability to control and manage content of programming. Users  
desire to be able to more easily and effectively choose the types of television  
programs to which they and / or their children are exposed.

25 In some existing "parental control systems," such as those associated with V-  
chip technology or Electronic Program Guides (EPGs), users may block all programs  
having particular ratings and content attributes. For instance, a user may block all  
programs having a rating of "TV-MA" (Mature) or all programs having the content  
attribute for "Violence." When a program with blocked ratings or content attributes  
30 appears, both its video and audio are blocked for the entire duration of the program  
unless the user enters a personal identification number (PIN) to unblock it. With  
such existing systems, ratings and content attributes are generalized for the entire

program and rarely change. As a result, blocking is an "all or nothing" affair because either all of the program is blocked or none of it is blocked. This is a disadvantage if the ratings or content attributes apply to only a small part of the entire program.

For instance, if a program contains a brief scene of nudity and the user  
5 blocked all programs with "Nudity," the entire program would be blocked even if the scene in question was only a few seconds in length. There would be no way to selectively block just that portion of the program. A good example of this is the movie "Titanic." After Titanic's release, a small firm began editing from Titanic a love scene between the two main characters. There was an enormous demand for this,  
10 version of Titanic among parents and other users who did not desire to see that particular scene, but did wish to view the other portions of the movie.

Even if parental control systems could block a portion of the program by briefly changing the program's ratings or content attributes or by changing the data being provided to the V-chip during a program, there would be no way to block just  
15 the video or just the audio portion of the program. For instance, if a program contained a few seconds of adult language, the ratings and / or content attributes data would be unable to instruct the parental control system to block only the audio for that period of time. As a result, both video and audio would always be blocked together.

20 Furthermore, existing parental control systems are also limited to completely disabling the audio or video. In other words, existing parental control systems cannot modify the video or audio in any way. For instance, if a program contains adult language, the ratings/content data cannot instruct the parental control system to switch to an alternative audio track containing a G-rated version of the dialog.

25 A better approach would be to make the ratings and / or content data vary during the course of the program. An even better approach would be to provide additional data to indicate whether the video, audio, or both video and audio portion of the program should be blocked. Additionally, the data could indicate ways in which to modify the video or audio portion of the program to make it acceptable for  
30 the current parental control settings.

### Summary of Invention

Certain terms used in this section are described more fully below, particularly in the "Terminology" session. The present invention addresses the problems discussed above by providing systems and methods for allowing users of programs to control and manage the ways in which portions of the programs are presented. In general, this invention provides program users with program data for a program corresponding to discrete portions of the program. The program data comprises (a) program content data, (b) program control data, or (c) both. The content data may consist of rating values associated with categories in a rating system and/or content attribute values indicating the existence of predefined attributes or traits associated with each discrete portion of the program. The program control data comprises information concerning the media component (e.g., audio, video, text, hyperlinks, etc.) to which the rating or content attribute applies. The program control data may also contain control instructions corresponding to the ways in which each portion or media component of the program may be disabled, modified, replaced, and / or edited. These data are delivered to a set top box or other consumer electronics ("CE") device that couples to a display, like a television or monitor.

Users can enter into the CE device a presentation profile, by which a user specifies content the user does not wish to review or wishes to insert over existing content. For instance, the user may select certain types of rating categories and / or content attributes that the user desires not to be presented. Optimally, users may specify a method for disabling, such as deleting, modifying, replacing, or editing, the portions of the program having the undesirable rating and / or content attribute. Based on the program data associated with the program and the information contained in the user's presentation profile, the CE device controls the programming presented for display.

For example, the program data is compared against the presentation profile. When the presentation profile indicates deletion or editing of specific type material, and when the program data indicates the presence of that material in a portion of the programming, that portion of the programming is modified accordingly. If the program data contains a rating and / or content attribute listed in the presentation profile, systems and methods according to the present invention perform any of the

following functions: block video, block audio, block video and audio, block only a portion of the audio or video, substitute local audio, substitute local video, substitute alternative audio stream, substitute alternative video channel / stream, substitute alternative video and audio channel / stream, edit content, and / or delete content.

5           In one implementation, this invention uses streaming data or timestamped data synchronized to a program to provide ratings and / or content attribute information that vary during the program. This data is used by applications residing on a set-top box or other CE device to block or modify portions of a program's video or audio based on the settings selected by the user. In addition to providing varying  
10 ratings and / or content attribute information, the data may also include program control data related to what component of the program to block, such as video only, audio only, or both video and audio. Additionally, this data includes instructions on possible ways to modify the content. For example, the data could instruct the application to do such things as switch to an alternate audio track, switch to an  
15 alternate video channel, or blackout a certain area of the screen. Alternatively, all of these different capabilities could be entered, enabled or disabled by the user via the presentation profile or a control.

A further application of this invention is for Digital Video Recorders (DVRs) or digital disk recorders. When outfitted with this invention, DVRs or the like are  
20 capable of dynamically editing and deleting scenes based on the program data and the presentation profile created by a user.

This invention aims to achieve one, combinations, or all of the following objectives:

- 25       • To formulate program content data, associated with discrete portions of programming, which contains information related to programming content;
- To formulate program control data, associated with discrete portions of programming, which contains information related to how programming may be edited, deleted, modified, substituted, or otherwise altered;
- To provide, via a set-top box or other appropriate consumer electronic  
30 device, users with the content data, control data, or both;
- To enable programming users to define those types of programming and portions of programming they desire not to be presented; and

- To enable users to change undesired types of programming and portions of programming by dialing, modifying, substituting, deleting, or editing such programming or portions thereof.

Other objects, advantages and features of this invention will be apparent from review  
5 of the remainder of this document, including the drawings.

#### Brief Description of Drawings

Figure 1 is a diagram illustrating an embodiment of a system according to the present invention.

10 Figure 2 is a diagram illustrating one potential format of a programming signal and corresponding program data according to an embodiment of the present invention.

Figure 3 is a diagram illustrating another potential format of a programming signal and corresponding program data according to an embodiment of the present  
15 invention.

Figure 4 illustrates an exemplary format for the data illustrated in Figures 2 and 3 according to an embodiment of the present invention.

Figure 5 is a diagram illustrating a presentation control system according to the present invention.

20 Figure 6 is an exemplary menu screen of a program viewer interface according to the present invention.

Figure 7 is an example of a presentation profile shown in Figure 7 according to the present invention.

Figure 8 is a diagram illustrating an example of a program and corresponding  
25 program data according to the present invention.

#### Detailed Description

##### I. Terminology:

Before further describing a particular implementation of the present invention  
30 that is shown in the drawings, the following terms are explained, although more thorough understanding of the terms can be reached by resorting to this entire document. These term explanations are not intended to be conclusive, as

technology will change and skilled persons will recognize other ways to implement the same functionality.

- 5       • "Communications network" includes any network or infrastructure that supports communications between multiple devices, including broadband distribution networks, public or private packet-switched or other data networks, including the Internet, or circuit-switched networks such as the public switched telephone network and wireless networks.
- 10       • "Consumer electronics device" or "CE device" is any electronic device or combination of devices capable of receiving, displaying, playing, presenting, recording, deleting, editing, substituting, or disabling audio and / or video content. Exemplary CE devices include: televisions, personal computers, cable set-top boxes, video cassette recorders, digital video recorders, digital video disc players, compact disc players, and personal computers.
- 15       • "Content data" is any information corresponding to at least a portion of a program and related to the content of the program, including content ratings and content attributes, traits, or characteristics.
- 20       • "Control data" is any information corresponding to at least a portion of a program and related to the manner in which the portion may be disabled, modified, replaced, deleted, edited, or otherwise modified by a CE device, set top box or the like.
- 25       • "Presentation control system" is any device or combination of devices having (1) a receiver adapted to receive a program signal and (2) a processor for controlling the program to be displayed on a consumer electronic device, including a set-top box, television, or personal computer.
- 30       • "Program" or "Programming" is any electronic presentation of information, such as text, audio, video, graphics, or any other form of multimedia, over a communications network. Exemplary programming includes: Internet programming, television broadcasts, cable television programming, pay-per-view programming, video-on-demand, interactive television programming, satellite programming, and multimedia presentations.
- "Program data" means content or control data or other data associated



with or describing the content or manner of presentation of programming.

- "Presentation preferences" refers to information related to the types of program content that either a person desires not to view or that a person desires to replace and/or the manner in which programs and portions of programs having this type of content may be disabled, modified, replaced, deleted, edited, or otherwise modified by a CE device.
- "Service provider" is any entity that delivers programs to a program viewer, including cable providers, television broadcasters, satellite providers, and entities supporting Internet World Wide Web ("Web") sites.

10 II. System Overview

Figure 1 shows components of a system 10 for implementing an embodiment of this invention. A transmission facility 12, such as a cable head end, is operated by a service provider and receives various types of programming from data / content providers 14, which may provide traditional broadcast or cable television programming, video services such as pay-per-view, near video-on-demand, video-on-demand, promotional channels, or interactive television services. Exemplary data / content providers 14 include BellSouth, (the assignee of this invention), Disney, Time-Warner, DirectTV, etc. In connection with the provision of some of these services, transmission facility 12 may also receive electronic program guide (EPG) data from data providers 16. A particular content provider 14, such as Disney, may also provide EPG data, thus acting as an EPG data provider 16. Also, EPG data provider 16 may include companies that specialize in EPG data, such as Gemstar, United Video, Starsight, etc.

Transmission facility 12 processes the programming furnished by data / content providers 14 and 16 and provides to program viewers 18 a signal 13 over a communications network 15, which may be a broadband distribution network, a public or private packet-switched or other data networks (including the Internet), circuit switched networks such as the public switched telephone network, wireless networks, or any other desired communications network. Transmission facility 12 may comprise a plurality of servers, such as broadcast server 19, video server 20, EPG data server 22, and program data server 24, for providing multiple types of programming and related data via signal 13. Program viewers 18 receive

programming at a presentation control system 26, which may be a standard set top box, a properly programmed processor, coupled to a display, a consumer electronic device, or any other device adapted to couple to communications network 15.

Control system 26 includes, or couples to, a receiver (such as receiver 56 shown in Figure 5) for receiving and decoding signal 13 and a processor for controlling the program content to be displayed on devices such as television 28, personal computer 34 or any other suitable display device.

Presentation control system 26 may be a stand alone system that communicates with a display device and other consumer electronic devices or may be combined with the display device and / or any other suitable CE device in one device. In accordance with the present invention, presentation control system 26 also may receive a presentation profile 35 from program viewers 18. Based on presentation profile 35 and program data 36 received from transmission facility 12, the presentation control system 26 manages and controls the presentation of program content by interacting with video cassette recorder (VCR) 30, digital video recorder (DVR) 32, personal computer 34, or any other suitable CE device.

As shown in Figure 2, signal 13 carries multiple channels 38, each occupying a different portion of a frequency spectrum of signal 13. Transmission facility 12 may provide program viewers 18 with different programs 40 throughout the day on each channel 38. Each program 40 may be divided into multiple consecutive data frames 42, each of which contains all of the data related to the presentation of program 40 for a particular time interval.

In addition to providing program viewers 18 with program data 42 for each program 40, transmission facility 12 also provides program viewers 18 with program data 36 for each program 40. Data 36 is information associated with program data 42 comprising program content data, program control data, or both. As shown in Figure 2, data 36 may be divided into multiple consecutive data frames 54 corresponding to data frames 42 of program 40. Program content data may be information related to rating and / or content attributes, such as MPAA ratings, TV Parental Guidelines ratings, or any other rating system. Program control data may be information related to the manner in which program data 42 may be edited, substituted, deleted, or otherwise altered. For instance, in situations where program

data 42 may be substituted, program control data may contain information about other channels or streams or other locations where replacement program data are present.

As will be described in more detail below, program viewers 18 may use the information contained in data 36 about programs 40 to control and manage which programs are presented, which portions of programs are presented, and which media components are presented. Data 36 may also be used to control and manage the manner in which programs, portions of programs, and media components of programs and portions of programs are edited, substituted, deleted, or otherwise altered based on the information in data 36 and/or viewer preferences.

III. Formulation and Delivery of Data:

In accordance with the systems and methods of the present invention, data 36 associated with program data 42 for programs 40 may be formulated by a number of entities. For instance, programming producers may formulate data 36 while producing programming. Alternatively, data 36 may be formulated by data / content providers 14, EPG data providers 16, by the entity supporting transmission facility 12, or by any other entity that has access to programming. An example of a method of formulating alternative programming is one which uses the Internet. Thus, a studio may release a portion or all of a story-line for a series on the Internet and allow users there to "vote" or suggest endings or twists in the plot line. Either before or after receiving such input, the studio may film the most popular of the suggestions and embed these alternative programs into other channels. If the alternatives are filmed first and then selected by viewers of the Internet sight via voting or similar feedback, the site can be linked to the transmission facility and, following tabulation of viewer feedback, the site can automatically instruct the transmission facility to load a particular alternative track. Ultimately, such viewer feed back may be done in real time or virtual real time.

Program data 36 may be provided using many possible data delivery methods, as skilled persons will recognize. The following details several exemplary delivery methods:

**Timestamped Delivery:** Data 36 may be provided using a timestamped data delivery approach. This approach delivers all data 36 for an entire program either

before the program begins or when the user tunes to the program. Timestamps are used to associate particular ratings and / or content attributes data to particular portions of the program. Ideally, this approach works best when presentation control system 26 has or couples to an internal clock that synchronizes to a network clock to  
5 assure accurate synchronization of data 36 to the program content.

**Batch EPG Delivery:** Data used by existing EPGs is often delivered all at once, for example as a batch transmission. A similar approach can be used by which existing EPG data is supplemented with program data 36. Specifically, as shown in Figure 1, an EPG data server 22 may receive data 36 from an EPG data  
10 provider 16. Alternatively, the data provided by the EPG data server 22 may be enhanced by the addition of data provided by a program data server 24. The transmission facility 12 delivers the resulting data through the distribution network 15 to presentation control system 26 or consumer electronic device 28, 20, 32, or 34.

**Streaming Delivery:** Data 36 may also be provided using a streaming  
15 delivery method. This approach delivers program content data and program control data in real-time along with the program's video and audio content. There is no need for timestamps or clock synchronization since the data delivery is synchronized to the showing of the program. Methods of delivering streaming data include an MPEG private data stream or data insertion into the program's VBI (vertical blanking  
20 interval) line.

An advantage of this approach over the timestamped approach described above is that it is not effected by delays in the video content. For example, if a program is delayed because a sporting event that precedes it goes into overtime, the program's timestamped data may no longer be accurate since it was downloaded  
25 ahead of time and assumed the program began at a certain time. Program viewer 18 may tune to the program while in progress.

Data 36 would have to be repeatedly retransmitted during the period for which it was valid because presentation control system 26 or consumer electronic device 28, 30, 32, or 34 may not know what the last data values were when tuning to a  
30 program. Ideally, the retransmission interval should not be more than once a second.

Regardless of the delivery vehicle, in operation, program viewers 18 receive

signal 13 and data 36 from transmission facility 12. As described above, data 36 may be included within signal 13 as another channel within the frequency spectrum or may be received as an independent data stream or as a periodic download. In situations where data 36 is received in the form of a periodic download before  
5 programs are viewed, data 36 may be stored in memory by system 26. In alternative embodiments, data 36 may be supplied to program viewers 18 as part of a broadcast television signal in the vertical blinking interval. Data 36 may also be supplied by other service providers using communications network 15 or any other suitable communications network. Data 36 may also be received via any public or private  
10 packet-switched or other data networks including the Internet, circuit switched networks such as the public switched telephone network, wireless networks, or any other desired communications infrastructure.

#### IV. Data Formatting

Data 36 provides program viewers 18 continuous information related to the  
15 content of programs 42 throughout the entire presentation. As shown in Figure 4, data 36 may have a data structure comprising:

- (1) program content parameters, such as: timestamp 44, rating 46, content attribute 48, program component 50, and any other suitable parameter for  
20 identifying the content of program data 42 and
- (2) program control parameters, such as: control instruction or action 52 or any other suitable parameter associated with the manner in which program data 42 may be edited, substituted, deleted, or otherwise altered.

Timestamp 44 associates program content and program control data with a particular time interval within a program 40. The time interval may be represented as  
25 an offset from the start of program 40 and may be expressed in hours, minutes, and seconds or in any smaller unit of time, such as the length of a video frame.

The remaining parameters are used to define desirable control and management parameters for the corresponding time interval. For example, rating 46 may be a value associated with a ratings system, such as the TV Parental  
30 Guidelines ratings system, the MPAA ratings system, or any other standard ratings systems. Alternatively, rating 46 may be values associated with multiple ratings systems. Content attributes 48 may be a value associated with a trait or attribute of

program 40. Content attribute 48 may be based on the content rating system employed by the TV Parental Guidelines or MPAA rating system. Content attribute 48 may be a value indicating the existence of certain attributes or traits in a particular time interval of program 40, such as violence (V), sexual situations (S), coarse or crude indecent language (L), suggestive dialogue (D), fantasy violence (FV), or any other defined attribute or trait. A better approach than using the fairly simplistic content attributes associated with the existing TV ratings system (L, V, FV, S, D) would be to use a system that assigns numeric values to each of the content attributes depending on the degree of attributes present. For example, Violence (V) could be rated on a scale of 1-5 during the course of a program. Such ratings provide viewers with finer control over the level of violence blocked or modified. Program components 50 may be used to identify the media component of program rating 46 and / or content attribute 48 apply. For example, program component 50 may indicate that rating 46 or content attribute 48 apply only to the video component, only the audio component, or both the video and audio components. Program component 50 may also be used where program 40 contains multiple audio and / or video streams within the same channel 38, in which case the data may indicate to which stream or streams rating 46 or content attribute 48 apply. Program control parameters, such as control instructions or actions 52, may be a value associated with the various ways in which program 40 may be blocked, disabled, modified, replaced, and / or edited. For instance, the following table I illustrates an example of possible control instructions and their corresponding functions supported by data 36.

Table I: Program Control Data

Control Value	Control Function
BV	block video
BA	block audio
BVA	block video and audio
BP	block only a portion of the video display
SLA	substitute local audio
SLV	substitute local video
SAS	substitute alternative audio stream
SVC	substitute alternative video channel / stream
SAVC	substitute alternative video and audio channel / stream
DS	delete scene
SS	substitute different scene

As shown in Figure 2, data 36 may also be presented as a timestamped variance from a default setting. Data 36 may associate program 40 with a standard default setting, which is the same for all types of programs 40. Accordingly, only those portions of program 40 that vary from the default setting need to be assigned program content and control data. For example, the default setting may refer to programs that do not have any undesirable content and / or attributes. Using this method, data 36 need only contain information for those time intervals of program 40 that contain content and / or attributes that differ from the default setting and may reduce the amount of information in data 36.

As shown in Figure 2, data 36 may also be delivered to program viewers 18 in real-time along with program 40. In this implementation, data 36 does not have to include information related to the time interval within program 40 because the two parallel streams are synchronized. Data 36 may comprise a plurality (e.g., more than two) of data frames 54, each corresponding to a discrete time interval of program 40. In this embodiment, data frames 54 may be synchronized with data frames 42 in program 40 such that the time interval associated with each is equal. Alternatively, the time interval associated with control data frames 54 may vary from that of data frames.

#### V. Exemplary Data Format

An example of a possible data format for dynamic ratings and content attributes is shown below in Table II.

Table II

DEFAULT	[rating1,rating2,...];[content1,content2,...]
Timestamp	[rating1,rating2,...];[content1,content2,...] [component] [action]
Timestamp	[rating1,rating2,...];[content1,content2,...] [component] [action] ...

In this example: DEFAULT indicates a set of overall ratings and content attributes  
 5 for the program. These overall ratings and content attributes would be similar to the  
 ones already provided by many existing EPGs and other parental control systems.

- "Rating" is a value associated with a ratings system such as the TV rating  
 system or MPAA rating system. However, other rating systems are  
 possible and could be used. A program could have ratings from more than  
 10 one rating system. Also, the program's rating value for a particular rating  
 system could be missing or NULL since not all programs are rated.
- "Content" is a value associated with a content attribute system (the word  
 "traits" is sometimes used instead of "content") such as the ones  
 associated with the TV rating system (V,S,L,D,FV) or MPAA rating system  
 15 (e.g. Nudity, Violence, etc.). However, other content attribute schemes  
 (such as the multi-level scheme proposed above) are possible and could  
 be used. A program could have multiple content attributes from multiple  
 content attribute systems.
- "Timestamp" indicates when the associated ratings, content attributes, and  
 20 actions begin. Ideally, the timestamp should be an offset from the start of  
 the program. The timestamp could be expressed in hours, minutes and  
 seconds (e.g. hh:mm:ss). A way should exist to subdivide seconds into a  
 smaller unit of time such as frames (1/30 second).
- "Component" refers to the part of the program to which the ratings and  
 25 content attributes apply, such as audio, video, or both. "Component" may  
 also refer to substitute channels, streams, or other locations of substitute  
 audio and / or video. If a component value is not specified, both video and  
 audio are assumed.
- "Action" indicates ways in which the program could be modified to nullify  
 30 the portion of the program with the given ratings and / or content attributes.



For instance, an action could instruct the presentation control system 26 to perform any of the functions described above in Table I.

Table III illustrates how this data format could be used to deliver program data 36 using the timestamped delivery approach described above. This example uses the existing MPAA ratings system (G,PG,PG-13,R,NC-17) and the content attributes associated with the TV ratings system (L = Language, V = Violence, S = sexual situations, D = suggestive dialog, FV = fantasy violence).

Table III: Example of Program Data 36

DEFAULT R; L,V,S
00:00:00:00 G
00:11:15:02 R; L audio changeto 14
00:11:16:11 G
00:24:45:00 R; V,S
00:24:45:30 PG-13; V video
00:24:46:00 G
00:32:01:00 R; S video mosaic 20,100,30,150
00:32:05:00 G
...

Table III shows where the content data has been formulated into a series of data records, each record associated with a particular portion of the programming. Thus, in this example:

- "TV-MA;L,V,S" are the default ratings and content attributes for the entire program. These are similar to existing rating systems that use generalized ratings and content attributes for the entire program.
- "00:00:00:00 G" is the first timestamp offset and first rating for the program. These values indicate that at the start of the program, the program contains material rated G and there are no content attributes present. If no ratings/content values are specified for the beginning of the program, the default ratings/content values should be used.
- "00:11:15:02 R; L audio changeto 14" is the second timestamp offset. These values indicate that 11 minutes, 15 seconds, and 2 frames from the start of the program, the programs rating has changed to "R" and the show now has a

- content attribute "L" which indicates coarse "Language". The "audio" value indicates that the rating is only associated with the audio portion of the program. "Changeto 14" indicates that an alternative audio track exists for that portion of the dialog. For the purposes of this example, assume that a character in the program has uttered a brief vulgarity. In this case, at the offset shown, presentation control system 36 may switch to an alternative audio track if the ratings and content attributes equal or exceed those indicated by the user's parental control settings. At the next timestamp, presentation control system 26 would reset the audio settings to those indicated by the next ratings/content data.
- "00:11:16:11 G" indicates that the rating is back to G. Any blocking that resulted from the previous timestamp can be reset. Using the example above, the character has stopped uttering the vulgarity and the audio can be returned to normal.
  - "00:24:45:00 R; V,S" indicates that the rating has changed to R and there is now "Violence" and "Sexual Situations". The lack of any component value or action value indicates that both video and audio should be blocked (disabled) if the ratings/content values equal or exceed the user's parental control settings.
  - "00:24:45:30 PG-13; V video" indicates that the rating has changed to PG-13 and there is now only Violence (V). The Sexual Situations (S) have stopped. The "video" component value indicates that video should be blocked if the ratings/content values equal or exceed the user's parental control settings.
  - "00:24:46:00 G" indicates that the rating has returned to G. Turn off any blocking or modifications that resulted from the previous timestamp.
  - "00:32:01:00 R; S video mosaic 20,100,30,150" indicates that the rating is now R and there is a sexual situation (S). Let's assume there is some nudity on the screen. The component "video" indicates that only the video should be effected and the action "mosaic 20,100,30,150" indicates a mosaic effect may be used to blur the screen at the indicated coordinates.
  - "00:32:05:00 G" indicates that the rating is back to G. Turn off any blocking or modifications that resulted from the previous timestamp.

In the above example, if the streaming delivery approach was used, the "Timestamp" attribute would not be needed. As shown in Figure 3, program data 36 would have to be retransmitted at some interval while the data is valid to accommodate users who tuned to a program in progress. Delivered data can also  
5 be buffered for retrieval.

If program data 36 is batch delivered to presentation control system 26, an applet at the CE device or set top box associated with the user's display device may scan all of data 36 in advance to determine how often blocking would occur during the program. If implementing the user's presentation profile 35 based on the  
10 received program data 36 would cause an unacceptably high amount of blocking or modification (e.g., in terms of amount of time program is blocked or percentage of program blocked), the entire program could be blocked or the user informed and allowed to change the rating. The user may select the threshold at which this decision is made as part of the user's input of presentation profile 35 data.

15 VI. Viewer Presentation Profile

With reference to Figure 6, system 26 may include a viewer interface by which viewer 18 inputs a presentation profile 35 containing instructions for controlling programming to be displayed and the format thereof. The presentation profile 35 that viewers may create allows more flexibility in using system 26 for controlling and  
20 managing programming. Viewer interface 58 and a template 59 allow viewers to enter data stored in a profile 35 that then operates with application program 60. The viewer interface 58 may be a standard remote control, a wired or wireless keyboard, control buttons on the CE device implementing system 26, infrared port, PDA port or other suitable communication device for communicating commands to the  
25 application program 60. By these viewer interface 58 devices or software, such as a viewer interface applet or the like, viewers can input information, such as information called for by template 59, into the CE device so that application 60 can populate a memory or other storage device with the users' presentation profile 35. Application program 60 enables program viewers 18 to interact with the template 59 and  
30 television 28 using a standard menu system to populate the presentation profile 35 with the appropriate data.

For instance, viewer 18 may configure system 26 permanently or temporarily

to disable certain channels 38 in order to block undesired programming. In other words, application 60 running on a set top box or other CE device allows the user to turn parental controls on or off and indicate what ratings or content should trigger those controls. For example, if the user set the ratings level to R, all material with a  
5 rating of R or higher would be blocked or modified, as depicted in Table IV below.

Table IV

MPAA Rating	Status
X	BLOCKED
NC-17	BLOCKED
R	BLOCKED
PG-13	Open
PG	Open
G	Open

In addition to ratings, however, users may modify discrete programming  
10 portions having certain attributes. For example, if content attributes associated with the TV ratings system were used, viewers may indicate which of the following content attributes should be blocked or modified, as per Table V below in which the user blocks "Sexual Situations", "Suggestive Dialog" and "Language" content.

15

Table V

TV Content	Status
V (Violence)	
L (Language)	BLOCKED
S (Sexual Situations)	BLOCKED
D (Suggestive Dialog)	BLOCKED
FV (Fantasy Violence)	

Additionally, the system offers users the ability to block ratings or content attributes in several different ways. Specifically, the user could choose from the following

5 blocking options for each rating level and content attribute:

- Block the Entire Program. This would allow the user to use traditional parental blocking where the entire program is blocked if the overall (DEFAULT) rating or content attributes equal or exceed those set by the user. In this case, the dynamic ratings/content data would have no effect, only the  
10 DEFAULT ratings/content data would be used.
- Block Portions. This would use dynamic ratings/content data to block video or audio that equals or exceeds the corresponding parental control settings. The DEFAULT ratings/content information would not be used, unless the dynamic ratings/content data was missing. With this option, modification of the  
15 program's content would not be allowed and any instructions to modify the program would be interpreted as an instruction to block the video or audio.
- Block or Modify Portions. This would allow portions of the program's video or audio to be blocked or modified as indicated by the program's ratings/content data. The DEFAULT ratings/content information would not be used, unless  
20 the dynamic ratings/content data was missing.

These options could be applied to individual ratings and content attributes. For example, the user could set blocking for content attributes as shown in Table VI:

Table VI

TV Content	Status
V (Violence)	
L (Language)	BLOCK OR MODIFY PORTIONS
S (Sexual Situations)	BLOCK ENTIRE PROGRAM
D (Suggestive Dialog)	BLOCK PORTIONS
FV (Fantasy Violence)	

In this example, a program that had any sexual situations (as indicated by the overall ratings/content data) would be blocked in its entirety. Portions of the program with suggestive dialog (S) would be blocked, and portions of the program with language (L) would be blocked or modified.

Table VII below shows a further example using a different, MPAA ratings system:

Table VII

MPAA Rating	Status
X	BLOCK ENTIRE PROGRAM
NC-17	BLOCK ENTIRE PROGRAM
R	BLOCK OR MODIFY PORTIONS
PG-13	
PG	
G	

Even more detailed parental control settings are possible. For instance, viewer 18 could choose to allow audio to be modified but not video, forcing video to always be blocked. Or, viewer 18 may select any of the following disabling methods: complete block, partial block, substitution from local device, substitution from service provider (alternate channel), and substitution from service provider (alternate stream), and local edit.

In yet another aspect of this invention, viewers may add additional, demographic data to their presentation profile. The viewer may indicate the viewer's household income, number of children, ages, gender, etc. This demographic data,

as explained in applicant's concurrently filed application entitled, "Methods for Displaying Programming Content Based on User's Demographic Data, Usage Data and/or Commands," which application is hereby incorporated in its entirety by this reference, may be used by an applet running on the viewer's system 26 to select a particular program or advertisement targeted to viewers with a predetermined demographic profile.

VI. Use of Program Data

Figure 5 shows at least portions of a system 26 for controlling and managing the presentation of programming received via signal 13 based on data 36. The consumer electronics device that resides in a viewer's home and implements the system 26 can be provided with a blocking processor 66 adapted to communicate with a memory 62, a demultiplexer 64, and a control processor 68. Skilled persons will recognize that processors 66, 68 can be actual microprocessors or simply different portions of a single processor devoted to different tasks. Processor 68 (1) controls various components like tuner 64, blocking processor 66, signal processor 70 and (2) communicates with one or more consumer electronic devices, such as VCR 30, DVR 32, personal computer 34, or any other suitable consumer electronics or home theater and / or entertainment device. An output signal processor 70 outputs video and audio signals to television 28 or any other suitable display device. Skilled persons will recognize that these hardware components -- which could be combined into one component -- may be found in or added to traditional set-top boxes or consumer electronic devices and need merely be reprogrammed with the functionality described herein.

In any event, in controlling programming content, system 26 acts on (1) program data 36 that has both content and control data, (2) presentation profile 35, or (3) a combination of the program data 36 and presentation profile 35. Examples of each of these are given below:

A. Filtering Operations

Data 36 is received at the control system 26. A processor, e.g., blocking processor 66, accesses profile 35 from a memory 62 and combines it with data 36 to determine if and how program 40 should be presented. As seen in Figures 7 and 8, for each time interval of program 40, blocking processor 66 compares data 36

against profile 35 and acts as needed. As described above in detail, data 36 contains information for each time interval of program 40 related to various presentation control and management parameters, such as rating 46, content attribute 48, program component 50, control instruction 52. Profile 35 contains a list of rating / content attributes 74 that viewer 18 does not want to be presented and the corresponding disabling method 76.

For example, referring to Figures 4 and 7, a blocking processor 66 compares rating 46 and content attribute 48 values in data 36 with the rating / content attributes 74 in profile 35. If data 36 does not contain any rating / content attributes listed in profile 35, blocking processor 66 does not send any control instructions to control processor 68. Under these circumstances, control processor 68 then forwards channel 38 from demultiplexer 64 to output processor 70 where it may be presented on television 28. On the other hand, if data 36 contains a rating / content attribute listed in profile 35, blocking processor 66 then determines applicable instruction 76. Depending on the particular combination of program component 50 values in data 36 and disabling method listed in profile 35, blocking processor 66 may send any of the control instructions 52 mentioned above and shown in Table I to control processor 68. Implementation or exemplary instructions is described below:

- Blocking processor 66 sends "block video" control instruction if viewer 18 selects the "partial block" disabling method per instruction 76 and program component 50 is "video."
- Blocking processor 66 sends a "block audio" control instruction if viewer 18 selects the "partial block" disabling method per instruction 76 and program component 50 is "audio."
- Blocking processor 66 sends a "block video and audio" control instruction if viewer 18 selects the "complete block" disabling method per instruction 76 regardless of the program component 50.

In response to any of these instructions from blocking processor 66, control processor 68 performs the appropriate signal processing to edit the signal in channel 38 received from demultiplexer 64 and then forward the edited signal to output processor 70 for presentation on television 28.

#### B. Editing Operations



In accordance this invention, programming may also be dynamically edited based on the viewer's presentation profile 35. For instance, blocking processor 66 sends a "block portion of video" control instruction if viewer 18 selects the "partial block" disabling method 76 and program component 50 is "video." Thereafter, processor 68 may modify the signal in order to blank or blur the affected portion of the video display or may overlay the affected portion with any desirable text or other message. After completing signal processing, control processor 68 forwards the signal to output processor 70 for presentation on television 28.

Alternatively, other programming content, ranging from audio, to video, to Web pages or combinations thereof, may be substituted for the undesired programming portion. For instance, blocking processor 66 sends a "substitute local audio" control instruction if viewer 18 or the transmission facility 12 has selected the "substitution from local device" disabling method per instruction 76 and program component 50 is "audio." In response to this instruction from blocking processor 66, control processor 68 performs the appropriate signal processing to block the audio component of channel 38 received from demultiplexer 64. Control processor 68 then initiates a communications link with (a) a different channel having the substitute audio or (b) the desired local device, such as memory 62, DVR 32, VCR 30, personal computer 34, or any other suitable device capable of providing audio, from which the substitute audio is to be received. After receiving the substitute audio, control processor 68 performs the appropriate signal processing to combine the substitute audio with channel 38 and then forwards the combined signal to output processor 70 for presentation on television 28.

Other commands such as substitute video, substitute local video, substitute video from memory 62, switch channel, display Web page, etc. may be implemented by the processors 66, 68 in similar fashion. Note that alternate content may be provided from transmission facility 12 as part of the original signal 13, either in the form of alternate channels 38 or alternate streams within a channel 38. Program 40 on channel 38 may comprise a plurality of audio streams and a plurality of video streams, as well as a plurality of alternate audio streams and a plurality of alternate video streams. In this way, there may be an alternate stream according to each rating / content attribute category. In these situations, the transmission facility 12

includes within the data 36 information concerning the channel or URL to which the system 26 should tune for the alternate content. Alternatively, the alternate content may also be provided by a service provider other than the service provider supplying signal 13.

5 Referring to Figures 7 and 8, the systems and methods of the present invention will now be described with reference to a particular example. Suppose a particular viewer desires to view a program 40 containing the movie Titanic. As shown in Figure 7, suppose the viewer has configured a profile 35 to completely block any programming content or portions of programming content containing nudity  
10 or associated with a rating of R or X and to perform a local edit for portions of programming content rated PG-13 and containing sexual situations. Also, as shown in Figure 8, suppose the movie Titanic has been divided into multiple consecutive data frames 42 for each discrete time interval for the duration of the movie.

Recall from above, the movie Titanic would have been rated PG except for  
15 the short love scene between the two main characters. Thus, prior to the present invention, a viewer that desired not to view programming rated PG-13 would not have been able to view any portion of Titanic. The present invention solves this problem. For example, in the present invention data 36 associated with each portion of Titanic is also provided to the viewer. Data 36 comprises rating data, content  
20 attribute data, and control instructions. As shown in Figure 8, each data frame associated with Titanic was rated PG and had a general content rating except for the data frame associated with the love scene. This data frame was rated PG-13 because of the sexual situation. In this circumstance, where profile 35 was configured to perform a local edit on content rated PG-13 and containing sexual  
25 situations, the systems and methods of the present invention enable the program viewer to view each portion of the movie except the portion rated PG-13 and containing the sexual situation. In addition, because profile 35 was configured for "local edit", the systems and methods of the present invention enable the program viewer to edit out the undesirable portion using DVR 32.

30 VII. Other Features and Embodiments:

Other features may be programmed into the control system 26 that may reside on the CE device or set top box coupled to a display device. For instance, it

may not be immediately apparent to viewers whether the control system 26 is in effect when they initiate the display device and tune to a program. On screen indicators may be used to indicate the status of the controls (e.g., an icon may display or a message like "All programming with ratings above PG-13 have been  
5 blocked."). Likewise, during modification of the programming content, an icon may indicate to the user that the content has been edited or deleted. Further, in situations where viewers have selected the alternate programming to be displayed, e.g., as part of voting with other viewers via previewing of the programming on the Internet or the like, icons or other indications can be displayed to the viewers  
10 indicating that they selected the alternative scene or otherwise identifying the source of the alternative scene.

PIN entry or other security protocols can be implemented by system 26 to allow valid users to initiate, modify or disable the controls. Correct PIN entry shows the programming in its unmodified form. Programming controls can be reinstated  
15 when the user tunes to another channel or turns off the Set Top Box or CE device.

While this invention has been described in conjunction with specific embodiments, it is evident that many alternatives, modifications, and variations will be apparent to those skilled in the art. Accordingly, the preferred embodiments of the present invention described are intended to be illustrative and not limiting.  
20 Various changes may be made without departing from the true spirit and full scope of the invention as defined in the following claims.

What is claimed is:

- 1 1. A system for controlling and managing presentation to viewers of television,  
2 cable, satellite, Internet, broadcast or other programming content, the system  
3 comprising:
  - 4 a. a receiver adapted to receive a signal corresponding to a program and  
5 data associated with at least a first portion of the program, the data  
6 comprising (1) content data, (2) control data, or (3) both;
  - 7 b. a viewer interface adapted to receive information related to program  
8 presentation preferences of a viewer; and
  - 9 c. a processor adapted (1) to modify the content of at least the first  
10 portion of the program based on the data and program presentation  
11 preferences and (2) to output the modified first portion for presentation  
12 on a display device with the remainder of the program.
- 1 2. The system of claim 1 wherein the processor is further adapted to modify the  
2 first portion by blocking an audio, video or text component of the program.
- 1 3. The system of claim 1 wherein the processor is further adapted to delete the  
2 first portion.
- 1 4. The system of claim 1 wherein the processor is further adapted to substitute  
2 alternate programming for at least the first portion.
- 1 5. The system of claim 4 wherein the signal carries the alternate programming  
2 via a channel comprising programming having audio, video or both audio and video  
3 components.
- 1 6. The system of claim 1 wherein the viewer interface comprises an applet  
2 adapted to run on a consumer electronic device coupled to or incorporating the  
3 processor, wherein the applet causes the display device to show the viewer interface

4 by which the user inputs presentation preferences.

1 7. The system of claim 1 wherein the viewer interface comprises a wireless  
2 remote control device that communicates with the processor and a memory  
3 associated with the processor.

1 8. The system of claim 7 wherein the processor is adapted to replace the first  
2 portion with alternate programming.

1 9. The system of claim 8 further comprising an external device, adapted to  
2 communicate with the processor, the external device selected from the group  
3 consisting of a memory, a DVR, a VCR, an Internet browser, a tuner for tuning within  
4 the signal to a second channel having an alternative audio or video component.

1 10. The system of claim 1 further comprising a transmission facility for formatting  
2 the programming, wherein the transmission facility comprises: a program server for  
3 providing programming content and a data server for providing 1) content, 2) control  
4 data or 3) both content and control data associated with multiple discrete portions of  
5 the programming content.

1 11. A method for controlling and managing presentation of programs and portions  
2 thereof, comprising:

- 3 a. receiving a program;
- 4 b. receiving data associated with the program, wherein the data  
5 comprises (1) content data, (2) control data, or (3) both content and  
6 control data;
- 7 c. receiving information related to the program presentation preferences  
8 of a program viewer;
- 9 d. modifying the content of at least a portion of the program based on 1)  
10 the data associated with the program and 2) the program presentation  
11 preferences of the program viewer; and
- 12 e. displaying the modified content.

1 12. The method of claim 11 wherein modifying the content comprises blocking the  
2 portion of the program.

1 13. The method of claim 12 wherein modifying the content comprises blocking  
2 either an audio or video component of the portion of the program.

1 14. The method of claim 11 further comprising replacing (1) the at least a portion  
2 of the program and (2) a second portion of the program with alternate programming.

1 15. The method of claim 14 wherein the alternate programming comprises an  
2 alternate audio or video track contained on a separate channel.

1 16. The method of claim 11 further comprising displaying indicia to viewers to  
2 indicate (a) whether the portion of the programming will be modified or (b) each  
3 portion of the programming that has been modified.

1 17. The method of claim 11 wherein, before modifying the content, the method  
2 determines whether the portion to be modified exceeds a selected threshold  
3 percentage of the program.

1 18. A method of formulating programming and data describing the programming  
2 for delivery to viewers over a communications network, the method comprising:  
3 a. receiving a program;  
4 b. associating with each of multiple, discrete segments of the program a  
5 data record comprising (1) content data, (2) control data, or (3) both  
6 content and control data; and  
7 c. delivering the program and the data record either (1) to a transmission  
8 facility for forwarding to viewers over the communications network or  
9 (2) directly to a consumer electric device associated with a display for  
10 showing programming to the viewer.

1 19. The method of claim 18 wherein the content data comprises information

2 related to (1) a rating category, (2) a content attribute, or (3) both a rating category  
3 and content attribute.

1 20. The method of claim 19 wherein the content data further comprises  
2 information related to a predefined level of the content attribute.

1 21. The method of claim 18 wherein the control data comprises information  
2 indicating whether the content data applies to an audio, video, or text component of  
3 each segment of the portions of the program.

1 22. The method of claim 18 wherein the control data comprises control signals by  
2 which at least one component of one segment may be modified based on the  
3 content data.

1 23. The method of claim 22 wherein the control signals are selected from the  
2 group consisting of (1) block video, (2) block audio, (3) block video and audio, (4)  
3 block only an area of the video, (5) substitute local audio, (6) substitute local video,  
4 (7) substitute alternative audio stream, (8) substitute from alternative video channel,  
5 (9) substitute alternative video and audio channel, (10) delete, and (11) substitute  
6 alternative programming from external device.

1 24. A method for providing dynamic user control over programming delivered via  
2 a cable, broadcast, telecommunications, packet-switched or other network to a  
3 user's home that is equipped with a consumer electronics device for at least  
4 displaying the programming content, the method comprising:

- 5 a) providing the consumer electronic device with data synchronized to the  
6 programming, wherein the data at least comprises varying content data;
- 7 b) inputting the user's control settings that describe the type of programming  
8 the user desires to modify; and
- 9 c) modifying the programming according to the user's control settings and  
10 displaying the modified programming to the user.

1 25. The method of claim 24 in which the modifying step is performed by using a  
2 DVR device dynamically to store and edit the programming in order to seamlessly  
3 display the modified programming to the user.

1 26. The method of claim 24 in which the content data is delivered to the user's  
2 consumer electronic device via the signal that carries Electronic Program Guide  
3 data.

1 27. The method of claim 24 further comprising the step of determining whether to  
2 display a particular program by comparing all content data associated with the  
3 particular program to the user's control settings and a preset threshold.

1 28. The method of claim 27 in which the comparing step further comprises the  
2 step of determining the amount of the particular program to be blocked and  
3 comparing that amount to a preset threshold.

1 29. A method for formulating and delivering data for use in controlling the  
2 presentation of a program and portions thereof, the method comprising:  
3 a. formulating frames of program data and associating each frame with a  
4 discrete portion of the program, wherein the program data comprises  
5 (1) content data, (2) control data, or (3) both content and control data;  
6 b. delivering the program data to a transmission facility;  
7 c. distributing the program data to viewers.

1 30. The method of claim 29 wherein the content data describes attributes of the  
2 discrete portion of program to which the content data is associated.

1 31. The method of claim 30 further comprising the step of distributing alternate  
2 scenes for use in the program.

1 32. The method of claim 31 in which the alternate scenes comprise an alternate  
2 audio track and alternate video track.



1 33. The method of claim 32 further comprising replacing a first discrete portion of  
2 the program with alternate programming when the attribute associated with the first  
3 discrete portion exceeds a default threshold.

1 34. The method of claim 33 in which the alternate scenes are selected by  
2 viewers.

1 35. The method of claim 34 further comprising displaying indicia to viewers to  
2 indicate when a discrete portion of the program has been modified to display an  
3 alternate scene.

1 36. The method of claim 35 further comprising displaying to a selected viewer an  
2 indication that the alternate scene was chosen by the selected viewer.

1 37. The method of claim 29 in which the distribution of the program data occurs  
2 by embedding the program data in the channel carrying an Electronic Programming  
3 Guide.

1 38. The method of claim 29 in which the program includes at least one targeted  
2 advertisement and the content data includes demographic data identifying the  
3 demographics of the viewers to whom the targeted advertisement is directed.

1 39. The method of claim 38 further comprising the steps of collecting presentation  
2 preferences from at least one viewer, comparing the program data with the  
3 presentation preferences and presenting the program in accordance with the results  
4 of the comparison step.

1 40. The method of claim 39 in which the presenting step is accomplished by  
2 locally editing the program to replace a discrete portion thereof with the targeted  
3 advertisement appropriate to the demographics of the at least one viewer.

1 41. A method of remotely controlling presentation of a program to a viewer, the

2 method comprising:

- 3 a. sending program data over a communications network to a consumer  
4 electronics ("CE") device associated with the viewer;
- 5 b. collecting from a viewer interface the viewer's presentation  
6 preferences; and
- 7 c. comparing the program data with the viewer's presentation preferences  
8 and thereafter modifying the program for display to the viewer.

1 42. The method of claim 41 wherein the program data comprises information  
2 related to (1) a rating of a portion of the program, (2) a content attribute of a portion  
3 of the program, or (3) a manner of presenting a portion of a program.


1 43. The method of claim 41 wherein the program data comprises information  
2 indicating whether the content data applies to an audio, video, or text component of  
3 each segment of the portions of the program.

1 44. The method of claim 41 wherein the control data comprises control signals by  
2 which at least one component of one segment may be modified based on the  
3 content data.


1 45. The method of claim 44 wherein the control signals are selected from the  
2 group consisting of (1) block video, (2) block audio, (3) block video and audio, (4)  
3 block only an area of the video, (5) substitute local audio, (6) substitute local video,  
4 (7) substitute alternative audio stream, (8) substitute from alternative video channel,  
5 (9) substitute alternative video and audio channel, (10) delete, and (11) substitute  
6 alternative programming from external device.

1 46. The method of claim 41 in which the program data is synchronized to the  
2 program and both are delivered to the CE device.

1 47. The method of claim 41 in which the program data is delivered as part of the  
2 information sent in an Electronic Program Guide delivered to the viewer's CE device.




**FIG 1**




**FIG 2**

3/7




**FIG 3**

4/7

**FIG 4**

5/7



**FIG 5**

6/7

59

TEMPLATE	
<i>What content do you wish to block?</i>	
<input type="checkbox"/> Sexual Situation	<input type="checkbox"/> Violence
<input type="checkbox"/> Language	<input type="checkbox"/> Nudity
<i>What ratings do you wish to block?</i>	
<input type="checkbox"/> PG	<input type="checkbox"/> R
<input type="checkbox"/> PG-13	<input type="checkbox"/> X
<i>Do you wish to substitute available alternative audio tracks?</i>	
<input type="checkbox"/> Yes	<input type="checkbox"/> No
<i>Video tracks?</i>	
<input type="checkbox"/> Yes	<input type="checkbox"/> No
<i>Do you wish to enter demographic data for targeted ads?</i>	
<input type="checkbox"/> Yes	<input type="checkbox"/> No

**FIG 6**








FIG 8



**FIG 1**



**FIG 2**

3/7






FIG 3

4/7

**FIG 4**

5/7




**FIG 5**

6/7

59

TEMPLATE			
What content do you wish to block?			
<input type="checkbox"/>	Sexual Situation	<input type="checkbox"/>	Violence
<input type="checkbox"/>	Language	<input type="checkbox"/>	Nudity
What ratings do you wish to block?			
<input type="checkbox"/>	PG	<input type="checkbox"/>	R
<input type="checkbox"/>	PG-13	<input type="checkbox"/>	X
Do you wish to substitute available alternative audio tracks?			
<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Video tracks?			
<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Do you wish to enter demographic data for targeted ads?			
<input type="checkbox"/>	Yes	<input type="checkbox"/>	No

**FIG 6**



**FIG 8**



(19) World Intellectual Property Organization  
International Bureau(43) International Publication Date  
27 December 2001 (27.12.2001)

PCT

(10) International Publication Number  
WO 01/99416 A3(51) International Patent Classification<sup>7</sup>: H04N 7/16

(21) International Application Number: PCT/US01/17131

(22) International Filing Date: 24 May 2001 (24.05.2001)

(25) Filing Language: English

(26) Publication Language: English

## (30) Priority Data:

60/213,058	21 June 2000 (21.06.2000)	US
60/214,529	27 June 2000 (27.06.2000)	US
60/231,180	7 September 2000 (07.09.2000)	US
09/751,702	29 December 2000 (29.12.2000)	US
09/751,809	29 December 2000 (29.12.2000)	US

(71) Applicant (for all designated States except US): BELL-SOUTH INTELLECTUAL PROPERTY CORPORATION [US/US]; 824 Market Street, Suite 510, Wilmington, DE 19801 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): DURDEN, George,

A. [US/US]: 5355 Skidaway Drive, Alpharetta, GA 30022 (US). STEFANIK, John, R. [US/US]: 5085 Jett Forest Trail NW, Atlanta, GA 30327 (US). SWIX, Scott, R. [US/US]: 3775 River Hollow Run, Duluth, GA 30096 (US).


(74) Agents: PRATT, John, S. et al.: Kilpatrick Stockton LLP, 1100 Peachtree Street, Suite 2800, Atlanta, GA 30309-4530 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SYSTEM AND METHOD FOR FORMULATING, DELIVERING AND MANAGING DATA CONCERNING PROGRAMMING CONTENT AND PORTIONS THEREOF



(57) Abstract: This document discloses systems and methods for enabling viewers to control and manage the presentation of programs based on specified types of rating categories and content attributes that the viewer desires not to be presented. The invention provides program data corresponding to each program. The data contains (1) time-varying information related to the content of discrete portions of the television program and, optionally, (2) corresponding data controlling the presentation of that content. By way of example, the program data includes rating and content attribute values as well as control data indicating to which media component the value applies or instructions corresponding to the ways in which each portion of the program may be disabled, modified, replaced, and / or edited. A set top box or other configured consumer electronics device combines the program data with data input by the user concerning the programming the user desires to disable. Based on the program data and the viewer's presentation profile, the consumer electronic device controls whether and/or how each applicable portion or component of programming is presented to the viewer.



**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**(88) Date of publication of the international search report:**

20 June 2002

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 01/17131

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 H04N7/16

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)  
EPO-Internal, PAJ, WPI Data

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 195 135 A (PALMER DOUGLAS A) 16 March 1993 (1993-03-16)	1-8, 10-24, 26-37, 41-47
Y	abstract column 2, line 11 - line 21 column 2, line 49 - line 66 column 3, line 16 - line 41 column 4, line 25 - line 38 column 5, line 10 - line 47 figure 1	9, 25, 38-40
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*Z\* document member of the same patent family

Date of the actual completion of the international search

21 December 2001

Date of mailing of the international search report

10/01/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Fantini, F

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/17131

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 930 158 A (VOGEL PETER S) 29 May 1990 (1990-05-29) abstract column 2, line 55 -column 3, line 55 column 4, line 11 - line 22	9,25
A	column 4, line 60 -column 5, line 6	1,11,18, 24,29,41
Y	--- US 5 801 747 A (BEDARD KAREN) 1 September 1998 (1998-09-01) abstract	38-40
A	column 8, line 16 - line 21	1,11,18, 24,29,41
A	--- US 5 485 518 A (HUNTER ROBERT M ET AL) 16 January 1996 (1996-01-16)	
A	--- US 6 025 869 A (BRIAN JAMES M ET AL) 15 February 2000 (2000-02-15) -----	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

In ternational Application No

PCT/US 01/17131

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5195135	A	16-03-1993	NONE	
US 4930158	A	29-05-1990	AU 611710 B2 GB 2209417 A ,B GB 2209427 A ,B US 4930160 A	20-06-1991 10-05-1989 10-05-1989 29-05-1990
US 5801747	A	01-09-1998	AT 205985 T AU 729623 B2 AU 7182598 A BR 9713510 A CN 1286868 A DE 69706891 D1 EP 1013082 A2 HU 0001633 A2 JP 2001509327 T WO 9821877 A2	15-10-2001 08-02-2001 03-06-1998 06-06-2000 07-03-2001 25-10-2001 28-06-2000 28-09-2000 10-07-2001 22-05-1998
US 5485518	A	16-01-1996	NONE	
US 6025869	A	15-02-2000	US 5548345 A AU 4695796 A EP 0878092 A1 JP 10512117 T WO 9621319 A1	20-08-1996 24-07-1996 18-11-1998 17-11-1998 11-07-1996

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**